

Kanlux




**SERIES of HEAVY DUTY
FLOODFLIGHTS**

Kanlux

FL AGOR PRO

Kanlux



Kanlux **FL AGOR PRO**

Durable construction, which we support with a **5-year warranty**.


Three power levels: **100W/150W/200W**

Two versions: symmetrical and asymmetrical

Luminous efficiency:

140lm/W (symmetrical)

135lm/W (asymmetrical).



5 YEARS WARRANTY UNDER THE TERMS OF THE WARRANTY STATEMENT AVAILABLE ON THE WEBSITE

Kanlux

Kanlux **FL AGOR PRO**



IP
65

Solid aluminum and glass construction ensures durability.

IP 65



08IK

Impact proof: **IK08**

Reinforced radiator design dissipates heat more effectively, which increases its service life.




Kanlux

Kanlux **FL AGOR PRO**

Protective grid*, as an additional accessory, increases the resistance of the fixture to mechanical damage. Using the grid additionally protects the structure.

* grid available in the 2nd half of November 2024

Mounting bracket ensures stable mounting of the floodlight, and the 270° adjustment angle allows precise adjustment of the fixture to the desired position.



Kanlux


Kanlux FL AGOR PRO



glossy finish





high luminous efficiency
up to **140lm/W**



IP65 high resistance
to weather conditions



Reinforced
mounting bracket



SYMMETRIC ASYMMETRIC

additional optical system
for asymmetric version
(Kanlux FL AGOR PRO)



optional
protective grid
to be used



reliable
parameters



6kV surge protection
extends the life of the
fixture and reduces
maintenance costs

HIGH QUALITY COMPONENTS GUARANTEE 5 YEARS WARRANTY
5 YEARS WARRANTY UNDER THE TERMS OF THE WARRANTY STATEMENT AVAILABLE ON THE WEBSITE

Kanlux

Kanlux FL AGOR PRO
two types

FL AGOR PRO



SYMMETRIC

FL AGOR/A PRO



ASYMMETRIC

Kanlux

Kanlux FL AGOR PRO

Two variants in three different output powers.



Kanlux



Kanlux FL AGOR PRO

Designed to
illuminate
large areas




Kanlux

Kanlux FL AGOR PRO

Most common places of use:
sports facilities, billboards,
large advertising media,
warehouses and production
halls, building facades
and parking lots.

Kanlux FL AGOR PRO

Kanlux
FL AGOR PRO



Kanlux
FL AGOR/A PRO




Overvoltage protection: 6kV

The overvoltage protection system extends the life of the luminaires and reduces the costs of maintenance and replacement of luminaires by creating much more solid protection against the effects of overvoltages.


5 YEARS WARRANTY UNDER THE TERMS OF THE WARRANTY STATEMENT AVAILABLE ON THE WEBSITE




38420	AGOR PRO 100W NW	100W	14000	140	90
38420	AGOR PRO 150W NW	150W	20000	140	90
38422	AGOR PRO 200W NW	200W	28000	140	90
33478	FL AGOR/A PRO 100W NW	100W	13500	135	X125/Y65
33478	FL AGOR/A PRO 150W NW	150W	20250	135	X125/Y65
33479	FL AGOR/A PRO 200W NW	200W	27000	135	X125/Y65
38426	AGOR PRO GRID 100W	Protective grid for floodlight, silver FL AGOR PRO 100W FL AGOR/A PRO GRID 100W			
38427	AGOR PRO GRID 150W	Protective grid for floodlight, silver FL AGOR PRO 150W FL AGOR/A PRO GRID 150W			
38428	AGOR PRO GRID 200W	Protective grid for floodlight, silver FL AGOR PRO 200W FL AGOR/A PRO GRID 200W			



FL AGOR PRO 100W
FL AGOR-A PRO 100W



FL AGOR PRO 150W
FL AGOR-A PRO 150W



FL AGOR PRO 200W
FL AGOR-A PRO 200W

rated voltage: 220-240 AC
housing material and color: aluminum alloy,
black protective glass material: tempered glass
light color: white /4000K/
light source durability: 50000h

Kanlux



Kanlux
FLAGOR PRO
well
packed

kanlux.com